

Index

- Accretion, continental, 4, 14, 17–19
- Acknowledgments, xiii–xiv
- Africa, 15, 16, 102
- Albian, 23, 30, 39, 47, 67, 68, 69, 71, 72, 73, 74, 75, 76, 79, 80, 81, 82, 83, 96, 111, 112–113, 121, 122, 139
 - faunas, 83, 112–113
- Aleutians arc, 3
- Alps, Europe, 56, 63
- Amina Formation, Española, 35
- Ana Maria basin, Cuba, 128, 131, 133, 141, 143, 149
- Ancón Formation, Cuba, 72
- Ancón nappe, Cuba, 61
- Andros No. 1 well, Bahamas, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
- Anegada Passage. *See* Anegada Trough
- Anegada Trough, 5, 9, 10–11, 55, 101, 103, 116, 143. *See* Virgin Islands
- Anhydrite, 40–48, 64–65, 66, 69, 73–74, 105–108, 110–111, 115, 131, 134, 141. *See* Evaporites
- Anorthosite, 34, 78, 85, 86
- Aptian, 23, 28, 30, 39, 47, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 79, 80, 82, 84, 111, 112–113, 120, 121, 124
 - faunas, 112–113
- Aquitanian, 140, 145, 146–147, 148, 154
- Artemisa Formation, Cuba, 21, 38, 65–67, 68, 70, 71, 72, 75, 76, 105, 108, 121, 123, 124, 162
- Atlantic Ocean, 108
 - Cenozoic, 47, 67, 147
 - Cretaceous, 47, 53, 67
 - Hatteras abyssal plain, 15, 47, 53, 67
 - Horizon A, 47
 - Horizon B, 47
 - Horizon β , 47
 - JOIDES corehole No. 5, 15, 47, 53, 67, 107, 111
 - Jurassic, 15, 47, 53, 67, 107, 109, 111, 115
 - Mid-Atlantic Ridge, 82, 157
 - Nares Basin, 156–157
 - St. Paul and Peter Rocks, 87
- Autogeosyncline, 54
- Aves Ridge, 5, 17
- Azua basin (graben), Española, 34, 104, 129, 131, 143, 144, 150, 152, 155
- Azúcar Formation, Cuba, 38, 59–64, 68, 105–108
- Backland, Greater Antilles orthogeosyncline, 53, 54, 55, 84
- Bahamas. *See* Bahamas platform; Foreland
 - Andros well, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
 - Cay Sal IV–1 well, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
 - Cenozoic, 72, 130, 131, 132, 133, 140
 - correlation charts, 72, 131
 - Cretaceous, 72, 73, 92, 117
 - crustal thickness, 13
 - Cuban platform, synonym, 140
 - formations, 72, 131
 - gravity data, 13, 19
 - Jurassic, 40, 44, 72
 - magnetic data, 19
 - paleogeography, 42, 43, 46, 106, 107, 110, 111, 114, 115, 117, 140, 142, 143
 - Paleozoic, 13, 15
 - seismic data, 40
 - South Florida-Andros Island basin, 40
 - Turks and Caicos Islands, 5, 13, 14, 19, 54, 76
- Bahamas platform, 5, 6, 13, 15, 19, 20, 24–25, 52–54, 73, 74, 76, 92, 112, 117, 140, 142, 143, 162, 165. *See* Bahamas, Florida; Florida Straits; Foreland
 - Andros well, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
 - Cay Sal IV–1 well, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
 - Cenozoic, 72, 127–153
 - crustal thickness, 13
 - Mesozoic, 40, 44, 72, 73, 92, 117
 - paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 117, 140, 142, 143
 - Paleozoic, 13, 15

- Bajocian, 37, 38, 39
 Banda arc, 3
 Barremian, 39, 67–70, 71, 84, 113
 “*Barrettia* limestone,” Jamaica, 119
 Bartlett fault zone. *See* Bartlett Trough
 Bartlett Trough
 age, 17–19, 101–103, 116, 151, 163
 Bartlett fault zone, 20, 34, 77, 95, 128, 158–159
 Cayman Trough, synonym, 4
 connection with Puerto Rico Trench, 14, 158–159
 location, 5, 20
 oceanic crust, 17–19
 origin, 17–19, 163
 strike-slip movement, 101–102, 165
 vertical movement, 102, 165
 “Basal Complex,” Jamaica, 33, 34, 83–84
 Basaltization, 4, 14, 17–19, 48–49
 Basification, 4, 14, 17–19, 48–49
 Bathonian, 37, 38, 39
 Bay Islands, Central America, 5, 18
 Beata facies-structural zone, 5, 14, 53, 55, 85, 101, 130, 138, 162, 167. *See* Hispanola
 Cenozoic, 14, 47, 138
 Beata Ridge. *See* Beata facies-structural zone
 Benbow Inlier, Jamaica, 34, 70, 71, 84, 113
 Benbow Limestone, Jamaica, 113
 Benioff zone, 6–13, 49, 108, 158, 165
 Bermeja complex, Puerto Rico, 28, 34, 35, 36, 72, 81–82, 86, 87, 89, 162
 Berriasian, 39, 67–70
 Blue Mountains, Jamaica, 33, 34, 99, 104, 129, 134–136
 Blue Mountains facies-structural zone, 33–34, 53, 54–55, 73, 76, 78, 83–84, 85, 99–100, 104, 118, 129, 134–136, 162. *See* Jamaica
 Cenozoic, 127–153
 Cretaceous, 67, 70, 71, 72, 83–84, 99–100
 oceanic or deep-sea trench, 54–55, 83–84
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 pre-Cretaceous(?), 33–34
 radiometric dates, 27, 33, 34, 100, 117
 Bonin-Mariana arc, 17
 British Honduras, Central America, 18, 46, 102, 103
 Bushveld complex, 87
 Cabaiguán belt, Cuba, 24
 Cabritos No. 1 well, Hispanola, 150
 Caledonia Formation, Virgin Islands, 72, 99
 California, 124
 San Andreas fault, 124
 Callovian, 37, 38, 39, 51–52, 59–64
 Camagüey Province, Cuba, 20, 23, 31, 38, 40, 41, 73, 77, 91, 94, 102, 103, 112, 128, 133, 148, 153
 Camaján Hills (Lomas de Camaján), Cuba, 20, 31
 Camajuani zone, Cuba, 24, 25
 Campanian, 26–27, 39, 70, 72, 81, 82, 92, 93, 94, 95, 98, 99, 100, 101, 102, 103, 104, 116, 118, 120, 121, 124, 128, 136
 faunas, 99, 119–120
 Campeche Bank, Mexico, 46, 123
 Cape Verde Islands, 15
 Caribbean Sea
 age, 15, 47, 105, 109, 117, 127
 Aves Ridge, 5, 17
 Bartlett Trough, 4, 5, 14, 17–20, 34, 77, 95, 101–103, 116, 128, 151, 158–159, 163, 165
 Beata Ridge, 5, 14, 47, 53, 55, 85, 101, 130, 138, 162, 167
 Cayman Ridge, 5, 14, 16–20, 31, 103, 152, 161
 Cayman Trough, 4
 Colombian basin, 4, 5
 Horizon “A,” 47
 Horizon “B,” 47
 Mona Passage, 34, 77, 101, 155, 159
 Nicaragua Rise, 5, 14, 16–19, 53, 102, 141, 144, 152, 161
 origin, 4, 6, 14, 16, 41–49, 105, 109, 117, 127, 132–133, 140, 146, 161
 Venezuelan basin, 4, 5, 20
 Windward Passage, 34, 101
 Yucatán basin, 4, 5, 20
 Yucatán Channel, 5
 Caribbees, Lesser Antilles, 17, 143
 Cariblanco Formation, Puerto Rico, 97
 Cascarajícara Formation, Cuba, 122, 123, 125, 162
 Cauto basin, Cuba, 102–103, 128, 131, 132, 133, 139, 141, 143, 147, 149, 151
 Cauto facies-structural zone, 24–25, 53, 54, 72, 77, 78, 79, 94. *See* Cuba, eugeosyncline
 Cenozoic, 77, 79, 127–153
 Mesozoic, 77, 79, 94
 radiometric dates, 27
 Cauto fault zone, Cuba, 20, 77, 95, 101, 103, 116, 128
 Cayman Islands, 5, 17, 20, 141
 Cenozoic, 17, 141
 Cayman Ridge
 age, 14, 16–17, 31, 161
 Cayman Islands, 5, 20
 Cenozoic, 17
 faunal migration path, 152
 intersection with Greater Antilles orthogeosyncline, 14, 18–19, 20, 103, 161
 origin, 14, 17–19, 161
 Cayman Trough, 4. *See* Bartlett Trough
 Cayo Coco facies-structural zone, 24–25, 53, 54, 66, 72, 73–74, 92–93, 112–113, 117. *See* Cuba
 Cayo Coco No. 2 well, 20, 66, 74, 92, 106, 107, 110, 111, 112, 114, 115
 Cayo Romano well, 53, 74
 Cenozoic, 72, 127–153
 Frago No. 1 well, 20, 74, 93, 114, 141
 Francés No. 5 well, 20, 74, 93, 114, 141
 Mesozoic, 66, 72–74, 92–93, 112–113, 117
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143

- Cayo Coco No. 2 well, Cuba, 20, 66, 74, 92, 106, 107, 110, 111, 112, 114, 115
- Cayo Coco tecto-unit, Cuba, 24, 66
- Cayo Romano No. 1 well, Cuba, 53, 74
- Cay Sal IV-1 well, Bahamas, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
- Cedar Keys Formation, Florida, 132
- Cenomanian, 39, 53, 54, 67, 68, 69, 71, 72, 73, 74, 75, 76, 79, 80, 81, 82, 83, 84, 93, 94, 95, 96, 104, 111, 112, 113, 116, 121, 122, 134, 139, 156
- faunas, 83, 84, 93, 113
- Cenozoic, 14, 17, 31, 47, 54, 61, 63, 67, 71, 72, 77, 78, 82, 85, 93, 96, 98, 99, 100, 103, 115, 119, 127-153, 156-157, 162
- correlation chart, 131
- faunas, 122, 133, 136, 145
- geologic history, 132-133, 139-140, 145-146, 151, 152, 153
- paleogeography, 115, 142, 143, 148
- Central America, 5, 14, 16, 17, 18, 39-40, 46, 53, 101-103, 152
- formations, 18, 39-40, 46
- Central basin, Cuba, 94, 127-128, 131, 139, 141, 143
- Central Inlier, Jamaica, 34, 84, 85, 100, 119
- Chaîne des Matheux, Hispanola, 153
- "Chaos breccia," Cuba, 133, 134
- Chiapas State, Mexico, 18
- Chucús series, Guatemala, 18
- Ciales stock, Puerto Rico, 30, 34, 117
- Cibao Formation, Puerto Rico, 145
- Cibao graben, Hispanola, 34, 76, 101, 104, 129, 131, 138, 143, 144, 150, 155, 158-159
- connection with Bartlett Trough, 158-159
- connection with Puerto Rico Trench, 158-159
- Cifuentes belt, Cuba, 24
- Cobre Formation, Cuba, 131
- Cochinos basin (graben), Cuba, 128, 143, 148, 154
- Collazo No. 1 well, Cuba, 20
- Colombian basin, Caribbean, 4, 5
- Colorado No. 1 well, Cuba, 53, 74, 93
- Conclusions, 165-166
- Coniacian, 27, 28, 39, 72, 81, 100, 118-120
- faunas, 118-120
- Constructional geanticline, 3, 76
- Continental drift. *See* Sea-floor spreading
- Continentalization, 4
- Copper Limestone, Jamaica, 113
- Cordillera Central, Hispanola, 4, 28, 34, 132
- Cornwall-Middlesex facies-structural zone, 33-34, 53, 55, 84-85, 99, 100-101, 104, 118, 129, 133, 135, 139. *See* Jamaica
- Cenozoic, 72, 127-153
- Cretaceous, 67, 70, 71, 72, 73, 84-85, 100-101, 118-120
- paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 148
- pre-Cretaceous(?), 33-34
- radiometric dates, 27, 33, 34, 100, 117
- Correlation charts, 38, 72, 131
- Cretaceous, 14, 15, 18, 23, 26-27, 39, 47, 52, 53, 54, 55, 67-70, 71-85, 86, 92-101, 102-103, 104, 109-120, 121-124, 128, 133, 134, 136, 139, 156
- correlation chart, 72
- definitions, 71, 73
- faunas, 68-70, 80, 83, 84, 93, 99, 112-113, 117-120
- geologic history, 109, 113, 116-117
- paleogeography, 110-111, 114-115, 117, 120-125
- stages, 39
- Crustal thickness
- Bahamas, 13
- Cuba, 13
- Cuba. *See* Bahamas platform; Cauto facies-structural zone; Cayo Coco facies-structural zone; Eugeosyncline; Greater Antilles orthogeosyncline; Las Villas facies-structural zone; Leptogeosyncline; Median welt; Miogeosyncline; Nicaro-Mao facies-structural zone; Old Bahama Channel facies-structural zone; Orogeny; Zaza facies-structural zone
- Ana María basin, 128, 131, 133, 141, 143, 149
- Ancón nappe, 61
- Cabaiguán belt, 24
- Camagüey Province, 20, 23, 31, 38, 40, 41, 73, 77, 91, 94, 102-103, 112, 128, 133, 148, 153
- Camaján Hills (Lomas de Camaján), 20, 31
- Camajuani zone, 24, 75
- Cauto basin, 102-103, 128, 131, 132, 133, 139, 141, 143, 147, 149, 151
- Cauto fault zone, 20, 77, 95, 101, 103, 116, 128
- Cayo Coco No. 2 well, 20, 66, 74, 92, 106, 107, 110, 111, 114, 115
- Cayo Coco tecto-unit, 24, 66
- Cayo Romano well, 53, 74
- Cenozoic, 61, 72, 77, 79, 86, 103, 121-123, 125, 127-153
- Central basin, 94, 127-128, 131, 139, 141, 143
- "Chaos breccia," 133, 134
- Cifuentes belt, 24
- Cochinos basin (graben), 128, 143, 148, 154
- Collazo No. 1 well, 20
- Colorado No. 1 well, 53, 74, 93
- correlation charts, 38, 72, 131
- Cretaceous, 23, 26-27, 67-70, 71-79, 86, 92-94, 102-103, 104, 109-119, 120-124, 128, 133, 134, 139
- crustal thickness, 13
- Cubitas Mountains (Sierra de Cubitas), 20, 31
- Domingo belt, 24
- earthquakes, 154
- El Abra nappe, 61

Cuba continued

- Esperanza nappe, 61
 flysch, 61, 72, 132, 133, 134, 153
 formations, 16, 19–23, 31–33, 37–49, 59–67, 68, 70–72, 75, 76, 104–108, 119, 120–125, 131, 145, 162, 165
 Frágoso No. 1 well, 20, 74, 93, 114, 141
 Francés No. 5 well, 20, 74, 93, 114, 141
 Gibara, 20, 76, 91, 134
 gravity data, 13, 19, 154
 Guacanayabo basin, 128, 131
 Guacanayabo, Gulf of, 20, 149
 Guatánamo basin, 128, 134, 141, 143, 148–149
 Habana, city, 20, 121, 124
 Habana Province, 20, 40, 41, 69, 71, 73, 86, 91, 121, 131, 147, 154
 Isla de Turiguanó, 20, 40
 Isle of Pines, 5, 20, 22–23, 26, 27, 31–32, 37–40, 49, 67, 68, 71, 85, 89, 90, 105, 117, 148
 Jarahueca fenster, 20, 23, 41, 49, 69, 71, 86, 117
 Jatibonico belt, 24
 Jatibonico fault, 20, 101, 103–104
 Jatibonico No. 78 well, 23, 78
 Jurassic, 16, 19–23, 31–33, 37–49, 42–43, 46, 50–51, 52, 59–70, 71, 72, 75, 76, 77, 104–109, 121, 124, 165
 La Palma, 20, 31
 Las Villas belt, 24
 Las Villas Province, 20–23, 26, 31, 32, 37, 38, 67, 69, 73, 86, 91, 94, 112, 118, 133, 147, 148, 153, 154
 Las Villas tecto-unit, 24
 La Trocha fault, 20, 111, 115, 125, 154
 layered serpentinite complexes, 77, 78, 79, 87, 88–89, 123, 162
 Loma Cunagua salt diapir, 20, 40
 Los Palacios basin, 61, 127–128, 131, 132, 139, 141, 143, 154
 magmatism, 25, 26–27, 117, 140
 magnetic data, 19, 154
 Manacas nappe, 61
 Manicaragua tecto-unit, 24
 Manzanillo, city, 149
 Manzanillo basin, 128
 Martín Mesa, 121
 Matahambre, Minas de, 20, 38, 39
 Matanzas, city, 121, 128
 Matanzas Province, 20, 40, 54, 69, 73, 77, 85, 86, 91, 94, 131, 147, 151, 154
 Mina Margot, 121
 Mogote Pan de Azúcar, 20, 60, 62, 63
 Morón basin, 128, 131, 134, 141, 143
 Nicaro, 20
 Nipe basin, 103, 128, 131, 141, 143, 148–149
 Old Cauto basin, 102–103, 128, 131, 132, 139, 143
 Órganos, Sierra de los. *See* Sierra de los Órganos
 Oriente Province, 20, 26, 27, 31, 32, 37, 54, 59, 69, 71, 76, 77, 79, 88, 94, 102–103, 121, 128, 132, 134, 148–149, 153
 paleogeographic maps, 42, 43, 46, 106, 107, 110, 111, 114, 115, 142, 143, 148
 Paleozoic, 3, 19–23, 31–33, 38, 40, 49, 66, 68, 72, 105, 161
 Pinar del Río Province, 20, 21, 37, 38, 46, 51, 54, 59–67, 68, 69, 70, 71, 72, 73, 88, 90, 91, 93, 105, 108, 112, 120–125, 133, 147, 153, 154, 161
 Pinar fault, 20, 61, 68 (Fig. 17), 111, 115, 122–125, 128, 154
 Placetas belt, 24
 Placetas zone, 24, 121
 Pons authochthon, 61, 65, 120, 124
 Punta Alegre salt diapir, 20, 40
 radiometric dates, 20, 23, 26–27, 31–32, 117
 Remedios tecto-unit, 24, 71
 Remedios zone, 24
 reverse faults, 31, 61, 68, 74, 93
 Río Jibacoa, 20, 22
 Russian dredge hauls, 53, 134, 141, 145
 Sagua la Chica belt, 24
 San Adrián salt diapir, 20, 40–41, 124
 San Antonio nappe, 61
 San Cayetano, town, 20, 37, 38–39
 Sancti Spiritus batholith, 20, 31
 San Luis basin, 128
 Santa Clara, city, 20, 32, 86
 Santa Clara zone, 24
 Santa Isabel de Nipe basin, 128
 Santiago, 20
 San Vicente, village, 20, 65, 68
 San Vicente nappe, 61
 serpentinite, 22, 23, 25, 53, 61, 69, 72, 77, 78–79, 85–91, 103, 105, 108, 121, 123, 134
 Sierra de Cascarajícara, 53, 121, 122
 Sierra de Guajaibón, 88
 Sierra de Jatibonico, 20
 Sierra de los Órganos, 20, 38, 59–67, 72, 75–76, 88, 90, 105, 108, 112, 120–125, 133, 154, 162
 Sierra del Rosario, 20, 38, 59–67, 69, 77, 90, 105, 120–125, 162
 Sierra de Nipe, 20
 Sierra de Purial, 20, 77
 Sierra de San Juan, 20, 21
 Sierra de Trinidad (Trinidad Mountains), 20, 21, 22, 31, 32, 38, 49, 67, 71, 85, 90, 105, 162
 Sierra Maestra, 20, 77, 94, 131, 132, 134, 139, 140, 141
 strike-slip faults, 31, 94, 124–125
 tectonic cycles, 57
 thrust faults, 61–64, 67, 71, 85, 86, 90, 91, 121–125, 133–134, 153, 154
 Tina No. 1 well, 20, 40
 Tina No. 2 well, 20, 40
 Triassic(?), 19–23, 26, 31–33, 38, 41, 48
 Tuinicú fault, 20, 31, 101, 154

- Viñales, city, 20, 65
wells, miscellaneous, 86
Yaguajay belt, 24
Young Cauto basin, 128, 131, 141, 143, 147, 149, 151
Zaza tecto-unit, 24
Zulueta tecto-unit, 24
Cuban platform, synonym for Bahamas platform, 140
Cubitas Mountains (Sierra de Cubitas), Cuba, 20, 31
Cul-de-Sac Plain, Hispanola, 137
Diapirs, 37, 40–41, 45–48, 124
Domingo belt, Cuba, 24
Dominican Republic. *See* Hispanola
Don Juan Formation, Hispanola, 72, 95
Dredge hauls, 53
Duarte Formation, Hispanola, 35, 72, 80
Eagle Mills Formation, Gulf Coast, 46
Earthquakes. *See* Cuba; Hispanola; Puerto Rico; Puerto Rico Trench; Virgin Islands
epicenters, 6–13, 77, 78, 104, 154, 155, 158, 159, 161
hypocenters, 6–13, 161
East African rift, 102
East China Sea, 17–18
El Abra nappe, Cuba, 61
El Abra reef, Mexico, 75
El Plan Formation, Honduras, 40
England, 108
Enriquillo graben, Hispanola, 34, 104, 129, 131, 137, 138, 143, 144, 149, 150, 152, 155
Eocene, 14, 27, 28, 29, 47, 61, 72, 77, 78, 82, 85, 86, 93, 96, 98, 99, 100, 103, 115, 119, 122, 123, 125, 128, 129, 130, 131, 132, 133–140, 141, 142–143, 144, 156, 162
faunas, 122, 133, 136
geologic history, 139–140
Esperanza nappe, Cuba, 61
Eugeosyncline, 6, 23, 24–25, 48, 51, 58, 67–69, 70–72, 76–83, 85–91, 109–120, 123, 130, 132, 133, 162, 165. *See* Beata facies-structural zone; Blue Mountains facies-structural zone; Cauto facies-structural zone; Hispanola facies-structural zone; Las Villas facies-structural zone; Nicaro-Moa facies-structural zone; Puerto Rico-Virgin Island facies-structural zone; Zaza facies-structural zone
Europe, 16, 56, 63, 108
Evaporites, 14, 15, 19, 24, 25, 37, 52, 72, 105–108, 109, 110–111, 115, 128, 140, 143
anhydrite, 40–48, 64–65, 66, 69, 73–74, 105–108, 110–111, 115, 131, 134, 141
Cenozoic, 128, 129, 131, 134, 135, 136, 140, 141, 143, 149, 150
Cretaceous, 14, 15, 52, 69, 72, 73, 74, 109, 110, 111, 115
diapirs, 37, 40–41, 45–48, 124
gypsum, 21, 40–48, 131, 134, 135, 136, 141, 143, 149, 150
halite, 16, 40–48, 124, 129, 131, 143, 150
Honduras, 14
Jurassic, 37, 38, 40–41, 52, 64–66, 72, 105–108, 124
Paleozoic, 21
Facies belts, 56. *See* Facies-structural zones
Facies-structural zones. *See* Bahamas platform, and Beata; Blue Mountains; Cauto; Cayo Coco; Cornwall-Middlesex; Hispanola; Las Villas; Nicaro-Moa; Old Bahama Channel; Puerto Rico-Virgin Islands; Remedios, and Zaza facies-structural zones
definition and concept, 54
Fajardo Formation, Puerto Rico, 82
Fault zones, major
Anegada, 5, 9, 10–11, 55, 101, 103, 116, 143
Bartlett, 4, 5, 14, 17–20, 34, 77, 95, 101–103, 116, 128, 151, 158–159, 163
Cauto, 20, 77, 95, 101, 103, 116, 128
Cibao, 34, 76, 101, 104, 129, 131, 138, 143, 144, 155, 158–159
Enriquillo, 34, 104, 129, 131, 137, 138, 143, 144, 149, 150, 152, 155
Jatibonico, 20, 101, 103–104
La Trocha, 20, 111, 115, 125, 154
Mona, 6–13, 101, 155
Pinar, 20, 61, 68 (Fig. 17), 111, 115, 122–125, 128, 154
Puerto Rico Trench, 5, 6–13, 14, 53, 54, 76, 78, 83, 85, 89, 101, 104, 111, 112, 146–147, 151, 155–159, 163, 165, 167
Tuinicú, 20, 31, 101, 154
Wagwater, 34, 53, 55, 72, 84, 104, 129, 133, 134–136, 139, 143, 154, 155
Faults, reverse, 31, 61, 68, 74, 93, 154
strike-slip, 6, 14, 18, 31, 94, 101–102, 103, 124–125, 158–159, 161, 165
transform, 14, 101–102, 159
Fault zones, thrusts. *See* Nappe structure
Cuba, 61–64, 67, 71, 85, 86, 90, 91, 121–125, 133–134, 153, 154
general, 161
Jamaica, 135, 154
Puerto Rico, 154
Virgin Islands, 154
Faunas. *See* entries under each age
Florida, 5, 15, 108
formations, 132
gravity data, 19
magnetic data, 19, 77
Paleozoic, 19
radiometric dates, 19
seismic data, 40
source of San Cayetano clastics, 45, 108
South Florida-Andros Island basin, 40
West Florida shelf, 54
Florida platform. *See* Bahamas platform
Florida Straits, 5, 40, 93, 123
Flysch, 61, 72, 132, 133, 134, 153
Foreland, 6, 24–25, 52–54, 165. *See* Bahamas

- Foreland, continued
 platform; Cayco-Coco facies-structural zone; Florida; Florida Straits; Old Bahama Channel facies-structural zone; Remedios facies-structural zone
 Frago No. 1 well, Cuba, 20, 74, 93, 114, 141
 Francés No. 5 well, Cuba, 20, 74, 93, 114, 141
 Geologic history
 Cenozoic, 132–133, 139–140, 145–146, 151, 152, 153
 Cretaceous, 109, 113, 116–117
 Jurassic, 41–49, 50–51, 104–105
 Paleozoic(?), 19–23, 31–33
 Gerona Marble, Cuba, 22–23, 38, 66
 Gibara, Cuba, 20, 76, 91, 134
 Golden Lane reef, Mexico, 75
 Gonaïve Plain, Hispaniola, 137
 Granitization, 4
 Gravity data, 13, 19, 45, 154, 159
 Gravity gliding (gravity sliding, gravity slumping), 85, 90, 91, 121, 124, 153, 154
 Greater Antilles orthogeosyncline. *See* Bahamas platform and Beata; Blue Mountains; Cauto; Cayo Coco; Cornwall-Middlesex; Hispaniola; Las Villas; Nicaro-Moa; Old Bahama Channel; Puerto Rico-Virgin Islands; Remedios, and Zaza facies-structural zones
 age, 51–71, 108, 158, 161, 162, 165
 backland, 53, 54, 55
 connections with South America, 14, 55–56
 constructional geanticline, 3, 76
 definition, 3–4, 24–25, 52–56
 eugeosyncline, 6, 23, 24–25, 48, 51, 58, 67–69, 70–72, 76–83, 85–91, 109–120, 123, 130, 132, 133, 162, 165
 extent, 51–59
 island arc, 3, 48–49, 161
 leptogeosyncline, 75
 median welt, 24–25, 38, 41, 53, 54, 59, 66, 67, 69, 71, 73, 75, 76, 79, 94, 105, 107, 108, 109, 111, 112, 132, 133, 165
 miogeosyncline, 6, 24–25, 51, 54, 71, 76, 109–120, 123, 162, 165
 paleogeography, 42, 43, 46, 96, 97, 106, 107, 110, 111, 114, 115, 142, 143, 148
 Pinar del Río's position, 120–125
 problems, 161–163
 origin, 3–13, 51–59, 70–85
 tectonic cycles, 56–59
 volcanic belt, 6
 volcanic pile, 3, 76, 96, 97, 98, 99, 161
 Guacanayabo, Gulf of, Cuba, 20, 149
 Guacanayabo basin, Cuba, 128
 Guatánamo basin, Cuba, 128, 134, 141, 143, 148–149
 Guatemala, Central America, 18, 39–40, 46, 101–102, 159
 Guinea Corn Formation, Jamaica, 119
 Guinea, Republic of, 15
 Gulf Coast, United States, 41, 44, 45, 46, 47, 48
 formations, 41, 45, 46, 48
 tectonic features, 46
 Gulf of Mexico, 105
 age, 105
 gravity data, 45
 Jordan Knoll, 5, 20, 93, 111, 123
 magnetic data, 45, 77
 origin, 4, 14, 16, 41–49, 105, 117, 161
 presence of Oligocene, 147
 seismic data, 45
 Sigsbee Deep, 44, 46, 47
 Sigsbee Knolls, 44, 46, 47, 48
 Sigsbee scarp, 48
 Gypsum, 21, 40–48, 131, 134, 135, 136, 141, 143, 149, 150
 Habana, city, Cuba, 20, 121, 124
 Habana Formation, Cuba, 119
 Habana Province, Cuba, 20, 40, 41, 69, 71, 73, 86, 91, 121, 131, 147, 154
 Haiti. *See* Hispaniola
 Halberstadt Limestone, Jamaica, 72, 131, 135
 Halite, 16, 40–48, 124, 129, 131, 143, 150
 Hans Lollik Formation, Virgin Islands, 99
 Hatillo Limestone, Hispaniola, 72, 80
 Hatteras abyssal plain, Atlantic Ocean, 15, 47, 53, 67
 Hauterivian, 39, 67–70, 113
 Hispaniola. *See* Beata facies-structural zone; Eugeosyncline; Greater Antilles orthogeosyncline; Hispaniola facies-structural zone
 Azua basin (graben), 34, 104, 129, 131, 143, 144, 150, 152, 155
 Beata Ridge, 5, 14, 47, 53, 55, 85, 101, 130, 138, 162, 167
 Cabritos No. 1 well, 150
 Cenozoic, 14, 72, 127–153
 Chain des Matheux, 153
 Cibao graben, 34, 76, 101, 104, 129, 131, 138, 143, 144, 150, 155, 158–159
 Cordillera Central, 4, 28, 34, 132
 correlation charts, 72, 131
 Cul-de-Sac Plain, 137
 earthquakes, 6–13, 77, 161
 Enriquillo graben, 34, 104, 129, 131, 137, 138, 143, 149, 150, 152, 155
 epicenters, 6–13, 77, 161
 formations, 35, 72, 80, 95, 131, 149
 Gonaïve Plain, 137
 hypocenters, 6–13, 161
 Île de Gonave, 34, 131, 137, 149, 159
 Lago Enriquillo, 34, 131, 138, 150
 magmatism, 27, 28, 54, 117, 127, 138, 140, 144, 152, 153
 Massif de la Hotte, 34, 144, 149
 Massif de la Selle, 34, 79, 95, 137, 144, 149, 150
 Massif du Nord, 34, 38, 137, 144, 149
 Matheux basin, 129

- Hispañola *continued*
 Mella No. 2 well, 150
 Montagnes Noires, 34
 Northwest Peninsula (Presqu'île du Nord-ouest), 34, 79, 80, 95, 144, 149
 paleogeographic maps, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 Plaine de Léogane, 34, 38
 Plaine du Nord, 34, 38
 pre-Aptian-Albian rocks, 34, 35, 38, 67, 68, 72, 79, 80
 Presqu'île du Nord-ouest (Northwest Peninsula), 34, 79, 80, 95, 144, 149
 Puerto Plata, 34, 159
 radiometric dates, 27, 28, 34, 80, 117
 reverse faults, 154
 Samaná Peninsula, 34, 35, 36, 38
 San Cristóbal basin, 34, 143
 San Juan-Azua basin (graben), 34, 104, 129, 131, 138, 143, 144, 149–150, 152, 154, 155
 Santo Domingo, 34
 serpentinites, 34, 53, 72, 80–81, 85–91
 Sierra del Seibo, 34, 95
 tectonic cycles, 57, 58
 Terre Neuve Mountains, 27, 34, 95, 137
 thrust faults, 154
 Tortuga Island, 34, 38, 54, 76
 wells, miscellaneous, 150
 Hispañola facies-structural zone, 53, 54, 72, 76, 77, 79–81, 85, 95–96. *See* Hispañola, eugeosyncline
 Cenozoic, 72, 77, 127–153
 Mesozoic, 35, 47, 55, 68, 70, 72, 73, 77, 79–81, 85–91, 95–96
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 pre-Albian-Aptian rocks, 35, 68, 72, 79, 80
 pre-Cretaceous(?) rocks, 34, 38, 67, 72
 radiometric dates, 27–28, 34, 80
 Holocene. *See* Pleistocene
 Honduras, Central America, 5, 14, 17, 18, 40, 46
 Honshu-Mariana Ridges, 17
 Horizon A, 47
 Horizon "A," 47
 Horizon B, 47
 Horizon "B," 47
 Horizon β , 47
 Huayacocotla Formation, Mexico, 46
 Huizachal "Group," Mexico, 46
 Île de Gonave, Hispañola, 34, 131, 137, 149, 159
 "Inoceramus beds," Jamaica, 100, 119
 Isla de Turiguanó, Cuba, 20, 40
 Island arc, 3, 48–49, 161. *See* Orthogeosyncline; Greater Antilles orthogeosyncline
 Isle of Pines, Cuba, 5, 20, 22–23, 26, 27, 31–32, 37–40, 49, 67, 68, 71, 85, 89, 90, 105, 117, 148
 radiometric dates, 26–27, 31–32
 Isthmian Saline basin, Mexico, 44, 46, 47
 Isthmus of Tehuantepec, 44, 45, 46, 47
 Jagua Formation, Cuba, 38, 59–64, 68, 104–108
 Jagua-Viñales contact, Cuba, 60–64, 105, 108
 Jamaica. *See* Blue Mountains facies-structural zone; Cornwall-Middlesex facies-structural zone; Greater Antilles orthogeosyncline; Nicaragua Rise
 backland, 53, 54, 55, 84
 "Basal Complex," 33, 34, 83–84
 basement, 33, 34
 Benbow Inlier, 34, 70, 71, 84, 113
 Blue Mountains, 33, 34, 83–84, 85, 99–100, 104, 129, 134–136
 Cenozoic, 72, 100, 119, 127–160
 Central Inlier, 34, 84, 85, 100, 119
 correlation charts, 72, 131
 Cretaceous, 67, 70, 71, 72, 73, 84–85, 99–101, 110–111, 113–120, 136
 earthquakes, 104
 formations, 33, 34, 72, 100, 113, 119, 131, 134–137, 141, 145, 149
 Kingston, 27, 34, 84
 magmatism, 27, 33, 117, 140
 Nicaragua Rise, relation to, 17–19, 53
 paleogeographic maps, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 pre-Cretaceous(?) rocks, 33–34, 72
 radiometric dates, 27, 33, 34, 100, 117
 St. Ann Inlier, 34, 100, 119, 129, 136
 St. James Inlier, 34, 100
 Santa Cruz No. 1 well, 33–34, 85, 86, 87, 101, 137
 serpentinites, 33, 34, 53–55, 72, 83–84, 85
 tectonic cycles, 57, 58
 thrust faults, 135, 154
 Wagwater belt (Wagwater trough), 34, 53, 55, 72, 84, 104, 129, 133, 134–136, 139, 143, 154, 155
 West Negril No. 1 well, 34, 101, 136–137
 Japan, 18, 158
 Jarahueca Fenster, Cuba, 20, 23, 41, 49, 69, 71, 86, 117
 Jatibonico belt, Cuba, 24
 Jatibonico fault, Cuba, 20, 101, 103–104
 Jatibonico No. 78 well, Cuba, 23, 78
 Jealousy Formation, Virgin Islands, 131, 145
 JOIDES corehole No. 5, 15, 47, 53, 67, 107, 111, 115
 Jordan Knoll, Gulf of Mexico, 5, 20, 93, 111, 123
 Judith Fancy Formation, Virgin Islands, 72, 99
 Jurassic, 14, 15, 16, 18, 19–23, 26, 31–33, 37–49, 50–52, 53, 59–68, 70, 71, 72, 74, 75, 76, 77, 104–109, 111, 121, 123, 165
 correlation chart, 38
 faunas, 16, 44, 59, 60, 65, 68–69, 108–109
 floras, 44

- Jurassic, *continued*
 geologic history, 41–49, 50–51, 104–105
 paleogeography, 42–43, 46, 105–109
 stages, 39
 Jurassic(?), 41, 69, 72
 Kenya, 102
 Kimeridgian, 21, 22, 23, 38, 39, 50–51, 60–67, 68, 71, 72, 76, 123
 Kingston, Jamaica, 27, 34
 Lago Enriquillo, Hispanola, 34, 131, 138, 150
 La Palma, Cuba, 20, 31
 “Laramide” orogeny, 22, 23, 26–30, 32, 33, 56–59, 72, 84, 89, 90–91, 103, 104, 105, 116–117, 127, 132, 133, 153, 155
 Lares Limestone, Puerto Rico, 145
 Las Cañas Limestone, Hispanola, 72, 95
 Las Lagunas Formation, Hispanola, 72, 80
 Las Villas belt, Cuba, 24
 Las Villas facies-structural zone, 24–25, 53, 54, 71, 72, 75, 85, 91, 93, 104, 112–113, 120, 121, 123. *See* Cuba; Jarahueca fenster; Median welt
 Cenozoic, 72, 127–153
 Colorado No. 1 well, 53, 74, 93
 Mesozoic, 23, 41, 69, 71, 72, 73, 75, 112–113, 120
 Paleozoic, 23, 49, 72
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 radiometric dates, 23, 26, 117
 Las Villas Province, Cuba, 20–23, 26, 31, 32, 37, 38, 67, 69, 73, 86, 91, 94, 112, 118, 133, 147, 148, 153, 154
 Las Villas tecto-unit, Cuba, 24
 La Trocha fault, Cuba, 20, 111, 115, 125, 154
 “Lechos Rojos,” Mexico, 48
 Leptogeosyncline, 75
 Lesser Antilles, 5, 17, 55–56, 143, 158
 age, 6, 11, 14, 55–66
 granitic rocks, 49
 Limestone Caribbees, 17, 143
 origin, 6
 Volcanic Caribbees, 17, 143
 Limestone Caribbees, Lesser Antilles, 17, 143
 Loma Cunagua salt diapir, Cuba, 20, 40
 Los Palacios basin, Cuba, 61, 127–128, 131, 132, 139, 141, 143, 154
 Los Ranchos Formation, Hispanola, 72, 80
 Louann Salt, Gulf Coast, 41, 46, 48
 Louisenhoj Formation, Virgin Islands, 72, 82–83
 Macaya Formation, Hispanola, 95
 Maestrichtian, 27, 30, 39, 47, 55, 70, 71, 72, 80, 92, 93, 94, 95, 96, 98, 99, 100, 101, 102, 103, 104, 115, 116, 118–120, 128, 133
 faunas, 99, 118–120, 122
 Magmatism, 25, 26–30, 33, 54, 105, 117, 127, 133, 138, 140, 146, 152–153, 155
 Pleistocene volcanism of Haiti, 54, 127, 140, 152–153
 Magnetic data, 19, 45, 77, 85, 104, 154, 155, 159, 168
 Maimón Formation, Hispanola, 35, 72
 Manacas Formation (flysch), Cuba, 61, 72
 Manacas nappe, Cuba, 61
 Manicaragua tecto-unit, Cuba, 24
 Manzanillo, city, Cuba, 149
 Manzanillo basin, Cuba, 128
 Marginal elevation of the geosyncline (*see* Median welt)
 Martín Mesa, Cuba, 121
 Massif de la Hotte, Hispanola, 34, 144, 149
 Massif de la Selle, Hispanola, 34, 79, 95, 137, 144, 149, 150
 Massif du Nord, Hispanola, 34, 38, 137, 144, 149
 Matahambre, Minas de, 20, 38, 39
 Matanzas, city, Cuba, 121, 124
 Matanzas Province, Cuba, 20, 40, 54, 69, 73, 77, 85, 86, 91, 94, 131, 147, 151, 154
 Matheux basin (Haiti), Hispanola, 129
 Median welt, 24–25, 38, 41, 53, 54, 59, 66, 67, 69, 71, 73, 75, 76, 79, 94, 105, 107, 108, 109, 111, 112, 132, 133, 165. *See* Jarahueca fenster; Las Villas facies-structural zone
 Mêleage, 134
 Mella No. 2 well, Hispanola, 150
 Mesozoic, correlation chart, 38, 72, 131
 Metamorphic rocks, 19–23, 26, 27, 28, 31–36, 38, 41, 43, 44, 45, 54, 58, 61, 64, 66–68, 70–72, 78, 79, 80, 81–82, 83–84, 85, 86, 89, 105, 117, 132, 133, 162, 165
 Mexico
 Campeche Bank, 46, 123
 Chiapas State, 18
 correlations, 119
 El Abra reef, 75
 formations, 44, 46, 47, 48, 75
 Golden Lane reef, 75
 Isthmus of Tehuantepec, 44, 45, 46, 47
 Jurassic paleogeography, 46, 108
 Mixteca coal basin, 46
 Saline basin, Isthmus of Tehuantepec, 44, 46, 47
 Tamaulipas arch, 46
 Yucatán No. 1 well, 46
 Yucatán Peninsula, 45, 46, 47, 48, 162
 Mid-Atlantic Ridge, Atlantic Ocean, 82, 157
 Mina Margot, Cuba, 121
 Minas Viejas Group, Mexico, 48
 Miocene, 17, 72, 77, 123, 128, 129, 130, 131, 137, 140, 143, 144, 145, 146, 147–151, 156–157
 geologic history, 151
 Miogeosyncline, 6, 24–25, 51, 54, 71, 76, 109–120, 123, 162, 165. *See* Cayo Coco facies-structural zone; Las Villas facies-structural zone; Old Bahama Channel facies-structural zone; Remedios facies-structural zone
 Mixteca coal basin, Mexico, 46
 Mogote Pan de Azúcar, Cuba, 20, 60, 62, 63
 Mona fault, 6–13, 101, 155
 Mona Island, Puerto Rico, 130, 150, 152, 155

- Mona Passage, Caribbean, 34, 77, 101, 155, 159
 Montagnes Noires, Española, 34
 Morón basin, Cuba, 128, 131, 134, 141, 143
 Mount Eagle Group, Virgin Islands, 98
 Nappe structure, 61–64, 153, 154
 Nares basin, Atlantic, 156–157
 Necker Formation, Virgin Islands, 131, 138–139
 Neocomian, 23, 28, 39, 67–70, 71, 72, 73, 74, 75, 76, 79, 80, 86, 91, 111, 112, 121, 124, 162
 faunas, 68–70, 79, 112–113
 hiatus, 67–70, 162
 Neocomian(?), 70, 72
 “Nevadan” orogeny, 26–27, 38, 52, 57–58, 63–64, 68, 89, 90, 104, 105, 108
 Newark Group, United States, 45
 Newcastle Porphyry, Jamaica, 131, 135
 “New Ground conglomerate,” Jamaica, 119
 New Hebrides, 6
 Nicaragua, Central America, 5, 18, 46
 Nicaragua Rise
 age, 14, 16–17, 161
 Cenozoic, 17
 faunal migration path, 152
 intersection with Greater Antilles orthogeosyncline, 14, 17–19, 53, 161
 origin, 14, 17–19, 85, 102, 161
 seismic data, 141, 144
 Swan Island, 5, 17
 well, 144
 Nicaro, Cuba, 79
 Nicaro-Moa facies-structural zone, 24–25, 53, 54, 72, 77, 85–91. *See* Cuba; Eugeosyncline
 Cenozoic, 72, 127–153
 layered serpentinite complexes, 77, 79, 87, 88–89
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 radiometric dates, 26
 Nipe basin, Cuba, 103, 128, 131, 141, 143, 148–149
 Norphlet Formation, Gulf Coast, 48
 Northern Central American orogen, Central America, 18, 46, 53
 Northwest Peninsula (Presqu’île du Nord-ouest), Española, 34, 79, 80, 95, 144, 149
 Oceanic crust, modified, 4, 13–14
 Oceanization, 4
 Old Bahama Channel facies-structural zone, 24–25, 53, 54, 73–74, 92, 141, 145. *See* Cuba
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 Oligocene, 17, 72, 77, 128, 129, 130, 140–147, 150, 156
 faunas, 145
 geologic history, 145–146
 presence in Caribbean, 146–147, 163
 presence in Gulf of Mexico, 147, 163
 Olistolith, 134
 Olistostrome, 134
 Órganos, Sierra de los. *See* Cuba; Sierra de los Órganos
 Oriente Province, Cuba, 20, 26, 27, 31, 32, 37, 54, 59, 69, 71, 76, 77, 79, 88, 94, 102–103, 121, 128, 132, 134, 137, 148–149, 153
 Orogeny. *See* Tectonic cycles
 “Laramide,” 22, 23, 26–30, 32, 33, 56–59, 72, 84, 89, 90–91, 103, 104, 105, 116–117, 127, 132, 133, 153, 155
 “Nevadan,” 26–27, 38, 52, 57–58, 63–64, 68, 89, 90, 104, 105, 108
 Paleozoic, 33, 45, 90
 post-“Laramide,” 57, 145–146, 149, 150, 152, 161, 163
 “Subhercynian,” 26–30, 56–59, 72, 83, 89, 90–91, 92, 113, 116, 127
 Orthogeosyncline, definition, 3, 161
 Outer Brass Limestone, Virgin Islands, 72, 82–83
 Outer Ridge, Puerto Rico Trench, 5, 157
 Oxfordian, 38, 39, 51–52, 59–64, 68, 108
 faunas, 108
 Pacific Ocean, 109
 Paleocene, 26, 27, 29, 30, 34, 72, 77, 93, 103, 123, 128, 129, 130–133, 135, 136, 137, 138, 139
 absence of, Jamaica(?), 72, 129, 132, 133, 135, 163
 geologic history, 132–133
 Paleogeographic maps, 42, 43, 46, 96, 97, 106, 107, 110, 111, 114, 115, 142, 143, 148
 position of northern Pinar del Río Province in Greater Antilles paleogeography, 120–125
 Panamá, Isthmus of, Central America, 16
 Paleozoic, 3, 13, 14, 15, 17–23, 31–36, 102, 105, 161, 165
 correlation chart, 38, 39, 40, 46, 49, 66, 68, 72
 orogeny, 33, 45, 90
 geologic history, 19–23, 31–33, 161
 Pan Formation, Cuba, 60
 “Pangea,” 108
 Parageosyncline, 52
 Parguera Limestone, Puerto Rico, 97
 Peñas Formation, Cuba, 72, 93
 Peravillo Formation, Española, 72, 80
 Pinar del Río Province, 20, 21, 37, 38, 46, 51, 54, 59–67, 68, 69, 70, 71, 72, 73, 88, 90, 91, 93, 105, 108, 112, 120–125, 133, 147, 153, 154, 161
 Pinar fault, Cuba, 20, 61, 68 (Fig. 17), 111, 115, 122–125, 128, 154
 Pinar schist, Cuba, 39
 Placetas zone, Cuba, 24, 121
 Plaine de Léogane, Española, 34, 38
 Plaine du Nord, Española, 34, 38
 Pleistocene, 14, 34, 130, 150, 152–153
 Pliocene, 77, 93, 123, 128, 130, 143, 144, 148, 150, 151–152
 geologic history, 152
 Plita, 52, 54

- Ponce, Puerto Rico, 154
 Pons autochthon, Cuba, 61, 65, 120, 124
 Pons Formation, Cuba, 72, 75, 76
 Pons Formation(?), Cuba, 72, 76
 Portlandian, 38, 39, 112
 faunas, 112
 Portugal, 108
 Post-"Laramide" orogeny, 57, 145-146, 149, 150, 152, 161, 163
 Precambrian, 15, 18, 19, 32, 40
 Presqu'île du Nord-ouest (Northwest Peninsula), Hispaniola, 34, 79, 80, 95, 144, 149
 Problems to be solved, 161-163
 Puerto Plata, Hispaniola, 34, 159
 Puerto Rico. *See* Eugeosyncline; Greater Antilles orthogeosyncline; Puerto Rico-Virgin Islands facies-structural zone
 Bermeja complex, 28, 34, 35, 36, 72, 81-82, 86, 87, 89, 162
 Cenozoic, 72, 96, 98, 117, 127-153
 Ciales stock, 30, 34, 117
 correlation charts, 72, 131
 Cretaceous, 72, 73, 81-82, 96-98, 110-120
 earthquakes, 6-13, 78, 155
 epicenters, 6-13, 78
 fault trends, 103
 formations, 72, 81-82, 131, 145
 hypocenters, 6-13
 magmatism, 28-30, 97, 138, 140
 Mona fault, 6-13, 101, 155
 Mona Island, 130, 150, 152, 155
 paleogeographic maps, 42, 43, 96, 97, 106, 107, 110, 111, 114, 115, 142, 143
 Ponce, 154
 pre-Albian rocks, 35-36, 72, 81, 113
 quartz, first appearance in sediments, 96, 97, 116
 radiometric dates, 28-30, 34, 35, 81, 117
 San Juan, 34
 San Lorenzo batholith, 29, 34, 117
 serpentinites, 34, 35, 36, 53, 72, 81-82, 85-91
 strike-slip faults, 103
 tectonic cycles, 57, 58-59
 thrust faults, 154
 Utado pluton, 29, 30, 34, 117
 Vieques Island, 34, 151
 volcanic centers, 96, 97, 98
 wells, miscellaneous, 145
 Puerto Rico-Virgin Islands facies-structural zone, 53, 54, 72, 76, 77, 78, 85-91, 96-98.
 See Puerto Rico; Virgin Islands; Eugeosyncline
 Cenozoic, 72, 96, 98-99, 127-153
 Mesozoic, 72, 73, 81-82, 96-98
 paleogeography, 42, 43, 96, 97, 106, 107, 110, 111, 114, 115, 142, 143
 pre-Albian rocks, 35-36, 72, 81, 82, 83
 radiometric dates, 28-30, 34, 35, 81, 82
 Puerto Rico Trench
 age, 53, 54, 76, 83, 101, 104, 111, 112, 155-159, 163, 167
 Cenozoic, 146-147, 151
 connection with Bartlett Trough, 14, 158-159
 connection with Cibao graben, 158-159
 earthquakes, 6-13, 78, 158, 159
 epicenters, 6-13, 78, 158
 hypocenters, 6-13
 magnetic anomalies, 104, 155
 Mesozoic, 53, 54, 76, 83, 104, 111, 112
 origin, 6-13, 155-159
 outer ridge, 5, 157
 seismic data, 156-157
 serpentinites, 53, 83, 85, 89, 151
 strike-slip movement, 6, 158-159, 165
 vertical movement, 6, 157-159, 165
 Punta Alegre Formation, Cuba, 38, 40-49, 75, 162
 Punta Alegre salt diapir, Cuba, 20, 40
 Punta Gorda No. 1 well, Nicaragua, 18
 Radiometric dates, 18, 19, 20, 23, 26-34, 35, 80, 81, 82, 100, 117
 Red Sea, 4
 Remedios facies-structural zone, 24-25, 53, 54, 71, 72, 73, 74, 75, 91, 92, 93, 104, 109, 113, 117, 122, 123, 125. *See* Cuba
 Cenozoic, 71, 72, 127-160
 Colorado No. 1 well, 53, 74, 93
 Mesozoic, 72-74, 92, 93, 104, 109, 113, 117, 122, 123, 125
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 Urgonian facies, 74
 Remedios tecto-unit, 24, 71
 Remedios zone, 24
 Rhaetian, 26
 Richmond Formation, Jamaica, 72, 131, 135, 137
 Río Jibacoa, Cuba, 20, 22
 Río Loco Formation, Puerto Rico, 72, 82
 Río Orocovis Group, Puerto Rico, 81
 Río Yauco Mudstone, Puerto Rico, 97
 Rivière Gris Formation, Hispaniola, 131, 149
 Robles Formation, Puerto Rico, 72, 81, 82, 112
 Rosario Formation, Cuba, 38, 65
 Russian dredge hauls, Cuba, 53, 134, 141, 145
 Ryukyu Islands and arc, 11, 17
 Sagua la Chica belt, Cuba, 24
 St. Ann Inlier, Jamaica, 34, 100, 119, 129, 136
 St. Croix, Virgin Islands, 5, 55, 98, 103, 116, 130, 145, 151, 155
 St. Croix graben (trough), Virgin Islands, 130, 138, 140, 143, 155
 St. James Inlier, Jamaica, 34, 100
 St. John, Virgin Islands, 5, 82, 98, 103, 116
 St. Paul and Peter Rocks, Atlantic Ocean, 87
 St. Thomas, Virgin Islands, 5, 82, 98, 103, 116
 Saline basin, Isthmus of Tehuantepec, Mexico, 44, 46, 47
 Saline formation, Mexico, 44, 46, 47, 48
 Samaná Peninsula, Hispaniola, 34, 35, 36, 38
 San Adrián Formation, Cuba, 40

- San Adrián salt diapir, Cuba, 20, 40–41, 124
- San Andreas fault, California, 124
- San Antonio nappe, Cuba, 61
- San Cayetano, town, Cuba, 20, 37, 38–39
- San Cayetano Formation, Cuba, 16, 19–23, 31–33, 37–49, 61–66, 68, 71, 90, 104–105, 120, 123, 162, 165
- fauna, 44
- flora, 44
- San Cayetano Group, Cuba, 60
- San Cristóbal basin, Hispanola, 34, 143
- Sancti Spiritus batholith, Cuba, 20, 31
- San Juan, Puerto Rico, 34
- San Juan-Azua basin (graben), Hispanola, 34, 104, 129, 131, 138, 143, 144, 149–150, 152, 154, 155
- San Juan Marble, Cuba, 21, 38, 66, 68, 105
- San Lorenzo batholith, Puerto Rico, 29, 34, 117
- San Luis basin, Cuba, 128
- San Sebastián Formation, Puerto Rico, 131, 145, 146
- Santa Clara, city, Cuba, 20, 32, 86
- Santa Clara zone, Cuba, 24, 78
- Santa Cruz No. 1 well, Jamaica, 33, 34, 85, 86, 87, 101, 137
- Santa Isabel de Nipe basin, Cuba, 128
- Santiago, Cuba, 20
- Santo Domingo, Hispanola, 34
- Santonian, 39, 72, 81, 93, 94, 96, 98, 100, 104, 116, 118–120
- faunas, 118–120
- San Vicente, village, 20, 65, 68
- San Vicente nappe, Cuba, 61
- "Schist series," Cuba, 21
- Sea-floor spreading, 3, 4, 5, 6, 14, 15–16, 101, 108–109, 157, 159, 161
- Sea of Japan, 18
- Sediment trap, 17–19
- Seismic data, 40, 45, 47, 144–145, 157
- Semiplatform, 52
- Senonian, 39, 93
- Serpentinites and other ultramafic rocks. *See* Cuba; Hispanola; Jamaica; Puerto Rico
- classification, 85–91
- layered complexes, 77, 78, 79, 87, 88–89, 123, 162
- Mesozoic, 22, 23, 25, 33, 34, 35–36, 53, 54–55, 61, 69, 71, 72, 76–82, 83–84, 85–91, 103, 105, 108, 116, 121, 123, 134, 162
- Paleozoic, 22, 85, 90, 105, 162
- Puerto Rico Trench, 53, 83, 85, 89, 151
- Sierra de Cascarajicara, Cuba, 53, 121, 122
- Sierra de Guajaibón, Cuba, 88
- Sierra de Jatibonico, Cuba, 20
- Sierra de los Órganos, Cuba, 20, 38, 59–67, 72, 75–76, 88, 90, 105, 108, 112, 120–125, 133, 154, 162
- Sierra del Rosario, Cuba, 20, 38, 59–67, 69, 77, 90, 105, 120–125, 162
- Sierra del Seibo, Hispanola, 34, 95
- Sierra de Nipe, Cuba, 20
- Sierra de Purial, Cuba, 20, 77
- Sierra de San Juan, Cuba, 20, 21
- Sierra de Trinidad, Cuba, 20, 21, 22, 31, 32, 38, 49, 67, 71, 85, 90, 105, 162
- Sierra Maestra, Cuba, 20, 77, 94, 131, 132, 134, 139, 140, 141
- Siete Cabezas Formation, Hispanola, 72, 78, 80
- Sigsbee Deep, Gulf of Mexico, 44, 46, 47
- Sigsbee Knolls, Gulf of Mexico, 44, 46, 47, 48
- Sigsbee scarp, Gulf of Mexico, 48
- Skaergaard intrusion, 87
- South America, 6, 14, 55–56, 119
- connections with Greater Antilles orthogeosyncline, 6, 14, 55–56
- South Florida-Andros Island basin, Bahamas, 40
- Stage names, 39. *See* under individual stage names
- Stillwater complex, 87
- "Subhercynian" orogeny, 26–30, 56–59, 72, 83, 89, 90–91, 113, 116, 127
- Swan Island, Nicaragua Rise, 17
- Tamaulipas arch, Mexico, 46
- Tamaulipas Limestone, Mexico, 75
- Tectonic cycles, Greater Antilles orthogeosyncline, 56–59, 165
- Tecto-unit, 56
- Tehuantepec, Isthmus of, Mexico, 44, 45, 46, 47
- Terre Neuve Mountains, Hispanola, 27, 34, 95, 137
- Tertiary, 72, 131. *See* Eocene; Miocene; Oligocene; Paleocene; Pliocene
- Thalassogenesis, 4
- Thrust faults. *See* Fault zones, thrusts
- Tiefkraton, 86–87, 88
- Tina No. 1 well, Cuba, 20, 40
- Tina No. 2 well, Cuba, 20, 40
- Tinguaro Formation, Cuba, 145
- Tireo Formation, Hispanola, 72, 80, 95
- Tithonian, 15, 21, 22, 23, 38, 39, 47, 50–51, 53, 59–70, 71, 72, 74, 75, 76, 77, 107, 108–109, 111, 113, 121
- faunas, 68–69, 109, 113
- Tithonian(?), 41, 69, 71, 72, 75
- Todos Santos Group (Formation), Guatemala, 39–40, 46
- Tortola, Virgin Islands, 131, 138–139
- Tortola Formation, Virgin Islands, 131, 138–139
- Tortuga Island, Hispanola, 34, 38, 54, 76
- Triassic(?), 19–23, 26, 31–33, 38, 41, 45, 46, 48
- Trinidad and Tobago, 55

- Trinidad Formation, Cuba, 21, 22, 38, 68, 105
series, 21
- Trinidad Mountains, Cuba. *See* Cuba; Sierra de Trinidad
- Trois Rivières Formation, Hispanola, 95
- Tuinicú fault, Cuba, 20, 31, 101, 154
reverse movement, 31
strike-slip movement, 31
- Turks and Caicos Islands, Bahamas, 5, 13, 14, 19, 54, 76
- Turonian, 28, 39, 71, 72, 74, 77, 79, 81, 82, 84, 91, 92, 93, 94, 97, 99, 100, 102, 103, 104, 115, 116, 118–120, 121
faunas, 84, 99, 118–120
- Tutu Formation, Virgin Islands, 72, 83
- Twara No. 1 well, Nicaragua, 18
- Ultramafic rocks. *See* Serpentinities and other ultramafic rocks
- Unconformities, 56–59, 60–65, 67–71, 80, 82, 91, 92, 93, 95, 96, 98, 105, 113, 116, 131, 132, 134, 136, 139, 149, 162.
See Correlation charts; Tectonic cycles
- Urgonian facies, 74
- Utado pluton, Puerto Rico, 29, 30, 34, 117
- Valanginian, 39, 67–70, 84, 113
- Venezuela, South America, 6
- Venezuela basin, Caribbean, 4, 5, 20
- Vertical movements, 9, 102–103, 104, 127–130, 135, 139, 145, 149–150, 151, 152, 153, 154, 155, 157–159, 161, 165
- Vieques Island, Puerto Rico, 34, 151
- Viñales, city, Cuba, 20, 65
- Viñales Formation, Cuba, 21, 22, 23, 38, 60–67, 68, 70, 72, 76, 104–108, 112, 123, 124, 162
- Virgin Islands, 51–54, 72, 76. *See* Eugeo-syncline; Greater Antilles orthogeosyncline; Puerto Rico-Virgin Islands facies-structural zone
- Anegada Trough, 5, 9, 10–11, 55, 101, 103, 116, 143
- Cenozoic, 72, 82, 99, 127–160
correlation charts, 72, 131
- Cretaceous, 72–73, 82–83, 99, 106, 107, 109, 110, 111, 114, 115, 116
- earthquakes, 6–13
- epicenters, 6–13
- formations, 72, 82–83, 98–99, 131, 138–139, 145
- hypocenters, 6–13
- magmatism, 30, 140
- paleogeographic maps, 42, 43, 110, 111, 114, 115, 142, 143
- pre-Albian rocks, 36, 72, 82, 83
- radiometric dates, 30, 34, 82
- St. Croix, 5, 55, 98, 103, 116, 130, 145, 151, 155
- St. Croix graben (trough), 130, 138, 140, 143, 155
- St. John, 5, 82, 98, 103, 116
- St. Thomas, 5, 82, 98, 103, 116
- tectonic cycles, 59
- thrust faults, 154
- Tortola (British Virgin Islands), 99, 138–139
volcanic pile, 99
- Virgin Islands Group, Virgin Islands, 82–83
- Volcanic belt, Greater Antilles orthogeosyncline, 6
- Volcanic Caribbees, Lesser Antilles, 7, 143
- Volcanic pile, Greater Antilles orthogeosyncline, 3, 76, 96, 97, 98, 99, 161
- Wagwater fault zone (Wagwater belt, trough), Jamaica, 34, 53, 55, 72, 84, 104, 129, 133, 134–136, 139, 143, 154, 155
- Wagwater Formation, Jamaica, 72, 131, 135, 137
- Water Island Formation, Virgin Islands, 72, 82, 99
- Wells
- Andros No. 1, Bahamas, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
- Cabritos No. 1, Hispanola, 150
- Cay Sal IV-1, Bahamas, 5, 20, 53, 73, 92, 106, 107, 110, 111, 114, 115, 130, 132, 133, 142
- Cayo Coco No. 2, Cuba, 20, 66, 74, 92, 106, 107, 110, 111, 114, 115
- Cayo Romano No. 1, Cuba, 53, 74
- Collazo No. 1, Cuba, 20
- Colorado No. 1, Cuba, 53, 74, 93
- Cuba, miscellaneous, 86
- Fragoso No. 1, Cuba, 20, 74, 93, 114
- Francés No. 5, Cuba, 20, 74, 93, 114
- Hispanola, miscellaneous, 150
- Jatibonico No. 78, Cuba, 23, 78
- Mella No. 2, Hispanola, 150
- Nicaragua Rise, 144
- Puerto Rico, miscellaneous, 145
- Punta Gorda No. 1, Nicaragua, 18
- Santa Cruz No. 1, Jamaica, 33–34, 85, 86, 87, 101, 137
- Tina No. 1, Cuba, 20, 40
- Tina No. 2, Cuba, 20, 40
- Twara No. 1, Nicaragua, 18
- West Negril No. 1, Jamaica, 34, 101, 136–137
- Yucatán No. 1, Mexico, 46
- West Florida shelf, Florida, 52
- West Negril No. 1 well, Jamaica, 34, 101, 136–137
- White Limestone Group, Jamaica, 131, 134, 135, 136–137, 141, 145, 149
- Wildflysch, 31, 61, 63, 133, 134, 153
- Windward Passage, Caribbean, 34, 101
- Yaguajay belt, Cuba, 24
- Yellow Limestone Group, Jamaica, 131, 134, 135, 136–137

- Yucatán basin, 4, 5, 20
 Yucatán Channel, 5
 Yucatán No. 1 well, Mexico, 46
 Yucatán Peninsula, Mexico, 45, 46, 47, 48, 162
 Zaza facies-structural zone, 23, 24–25, 53, 54, 72, 76–77, 78–79, 85–91, 94, 121, 123–125, 162. *See* Cuba; Eugeosyncline
 Cenozoic, 72, 127–160
 Jatibonico No. 78 well, 23, 78
 layered serpentinite complex, 78, 88, 123
 Mesozoic, 67, 72, 73, 76–77, 78–79, 94, 121, 123–125
 paleogeography, 42, 43, 106, 107, 110, 111, 114, 115, 142, 143
 radiometric dates, 26, 31–32
 Zaza tecto-unit, Cuba, 24
 Zulueta tecto-unit, Cuba, 24